

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.39

LIBRARY  
RECEIVED  
NOV 27 1950  
U. S. Department of Agriculture

# SEEDS

*for the*  
NURSERYMAN  
AND  
FORESTER

FALL - - 1950

---

---

F. W. SCHUMACHER

HORTICULTURIST

P. O. BOX 131

JAMAICA PLAIN 30, MASS.



---

## TERMS

Deliveries are subject to yield of crops and safe arrival of consignments.

It is not possible to have all items listed available at all times. A number of perishable seeds cannot be stored successfully and must be ordered in season. All seeds are offered subject to crop failures or short supplies.

Seeds are sold without warranty, expressed or implied as to description and productiveness. *Goods* should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with carriers.

**NOMENCLATURE**—The old method is being retained until the trade as a body accepts the new nomenclature as of second edition of "Standardized Plant Names," available at \$10.50 postpaid. It is a noble book and should be owned by every up-to-date gardener.

**CAUTION**—While it is true that plants grown from seed of horticultural varieties often yield superior plant material in comparison to that grown from nondescript seed, we wish to emphasize that seeds of such varieties or hybrids, with few exceptions, cannot be expected to come true to name. They are offered here for the convenience of competent plantmen, for research and breeding work only.

**PRICES**—subject to change without notice, are f.o.b. Boston.

**PAYMENT**—A cash discount of 3% is allowed on all orders amounting to \$5.00 and more. Please include packing and postage charges with your remittance.

**ORDERING**—We request that written orders be a separate part of any correspondence and clearly show amount and price for each item listed. Quantities smaller than listed cannot be supplied.

**ABBREVIATION**—N. E. stands for New England seed, a sign of hardiness; d.b. for dried berries; asterisk (\*) denotes new or insufficiently known plants of merit.

We cannot encourage the use of our seeds by others but professionals or those who have acquired pertinent knowledge of seed treatment and nursery practices.

**WE ARE IN THE MARKET FOR TREE AND SHRUB SEEDS OF ALL KINDS.**

---

**F. W. SCHUMACHER**

579 CENTRE STREET - - - - - P. O. BOX 131  
JAMAICA PLAIN 30, MASS.

---



	oz.	$\frac{1}{4}$ lb.	lb.
<b>ABIES amabilis</b> .....		2.00	5.50
balsamea, clean.....	.45	1.10	3.00
cephalonica.....		.80	2.25
cilicica.....		.90	2.50
concolor, California, lowiana variety.....		1.25	3.50
firma.....		.90	2.50
homolepis.....		1.50	4.25
lasiocarpa.....		2.00	5.50
magnifica shastensis.....		1.40	4.00
nobilis (procera).....		2.25	6.00
nordmanniana.....		.70	2.00
pectinata (alba).....		.45	1.25
pinsapo.....		.90	2.50
pinsapo glauca.....		1.10	3.00
veitchi.....		1.40	4.00
<b>ACACIA armata</b> .....	1.10	3.00	
baileyana.....	.45	1.20	3.75
cultriformis.....	.50	1.65	4.50
cyanophylla.....	.40	1.20	3.25
cyclops.....	.35	.90	2.50
decurrens.....		.55	1.50
decurrens dealbata.....		.55	1.50
decurrens dealbata, fast growing cultural selection.....	.50	1.25	3.50
decurrens mollis (mollissima).....	.35	1.00	2.75
decurrens normalis.....	.55	1.50	
farnesiana.....	.35	.90	2.50
longifolia.....	.35	.80	2.25
longifolia floribunda.....	.40	1.10	3.00
melanoxyton.....	.35	1.00	2.75
ornithophora.....	1.00		
pendula.....		250 seeds 1.25—1,000 seeds, 3.00	
podalyriaefolia.....	.80	2.25	6.25
pycnantha.....	.35	.85	2.50
retinodes floribunda.....	.35	.85	2.50
saligna.....		.45	1.25
verticillata.....	2.00		
<b>ACER campestre</b> .....		.35	1.00
ginnala.....		1.10	3.00
japonicum.....		1.25	3.50
negundo.....		.35	1.00
palmatum, small seeded.....	.45	1.25	3.50
palmatum, from garden specimens.....	.55	1.65	4.50
palmatum atropurpureum.....	.80	2.25	6.00
palmatum atropurpureum dissectum.....	2.00	5.40	15.00
platanoides, N.E.....		.35	.95
saccharum.....		.55	1.50
saccharum, New England Crop.....		.70	2.00
spicatum, N. E.....		1.10	3.00
<b>ACTINIDIA arguta</b> .....	.70	2.00	
<b>AILANTHUS glandulosa</b> .....		.25	.75
<b>AKEBIA quinata</b> .....	.35	1.00	2.75

	oz.	¼ lb.	lb.
ALBIZZIA julibrissin.....		.35	1.00
julibrissin rosea, a hardy strain (Zone 5).....	.65	1.75	5.00
lophanta.....	.35	1.00	2.75
ALNUS cordata, clean.....	.35	.90	2.50
glutinosa, clean.....		.45	1.25
incana, clean.....		.65	1.75
rugosa, clean, N. E.....	.90	2.50	
viridis, clean.....		.70	2.00
AMELANCHIER, alnifolia, d.b.....		.70	2.00
canadensis, d.b.....		1.75	5.00
grandiflora, N. E., d.b.....	.70	2.00	
laevis, N. E., d.b.....	.70	2.00	
stolonifera, large fruited type, N. E., d.b.....	.60	1.65	4.50
AMORPHA fruticosa.....		.35	1.00
*nana (microphylla).....		.45	1.25
AMPELOPSIS *heterophylla, N. E., d.b.....	.65	1.75	
quinquefolia, clean.....		.50	1.35
tricuspidata, clean.....	.35	.70	2.00
ARALIA spinosa.....	.55	1.40	4.00
ARBUTUS unedo, clean.....	.80	2.25	
ARCTOSTAPHYLOS uva-ursi, clean.....		1.10	3.00
ARDESIA crenulata.....		1.25	3.50
japonica.....		1.50	4.25
ARISTOLOCHIA tomentosa.....		.80	2.25
ARONIA arbutifolia, d.b.....		.80	2.25
arbutifolia brilliantissima, d.b.....		1.00	2.75
atropurpurea (prunifolia) d.b.....		.55	1.50
melanocarpa, d.b.....		.65	1.75
ASIMINA triloba.....		.65	1.85
AUCUBA japonica.....		.50	1.30
AZALEA alabamensis.....	.50	pkt.	
austrina.....	.50	pkt.	
calendulacea, N. E.....	1.10	¼ oz.	3.00
canescens.....	1.00	⅛ oz.	
Exbury Hybrids, choice hybrid race by famous English breeders, the result of intercrossing outstanding hybrids of mollis, pontica (Ghent), occidentalis extraction.....	1.25	⅙ oz., 3.50 ¼ oz.	
Ghent Hybrids, from choice European collection....	1.00	⅙ oz., 3.00 ¼ oz.	
indica (cultural "indica").....	.70	¼ oz.	2.25
*japonica (hardy mollis) from eastern garden strain....	1.00	⅙ oz., 2.50 ¼ oz.	
japonica, imported seed, Japan.....	1.50	¼ oz.	
kaempferi, home grown, N. E.....	2.00	⅛ oz.	
kaempferi, imported seed, Japan.....	1.75	¼ oz.	
kaempferi, Hybrids, N. E.....	.75	pkt.	
mollis, domestic seed, yellow and orange shades.....	.75	⅙ oz., 2.25 ¼ oz.	
mollis, imported.....	.70	¼ oz.	2.00



oz. ¼ lb. lb.

## AZALEA (continued)

mollis Hybrids, from choice collection of named varieties			
	1.00 ⅛ oz., 2.50 ¼ oz.		
nudiflora.....	1.00 ¼ oz.		
oblongifolia.....	.50 pkt.		
obtusa arnoldiana, N. E. from named varieties, beautiful hardy "Kurume"			
Hybrid.....	.50 pkt., 1.50 ⅛ oz.		
obtusa japonica (kuisiana).....	.50 pkt.		
obtusa kurume, from named varieties.....	.50 pkt.		
occidentalis Hybrids (occidentalis x mollis hybrids) charming race, late			
flowering, sweet scented, tints in vari-colored combinations of white, cream,			
pink with blotches of yellow and orange shades....	1.25 ⅛ oz., 3.50 ¼ oz.		
pontica, from northern gardens.....	1.50 ¼ oz.		
pontica, Southern Europe.....	.70 ¼ oz.	2.00	
*poukhanensis, N. E.....	2.25 ⅛ oz.		
prunifolia.....	.50 pkt.		
rosea, N. E.....	.70 ⅛ oz., 2.00 ¼ oz.		
schlippenbachi, Korean Strain.....	1.25 ¼ oz.	4.50	
vaseyi.....	1.00 ¼ oz.		
BERBERIS thunbergi, clean.....	.55	1.40	4.00
thunbergi atropurpurea, clean.....	1.75	5.50	15.00
thunbergi pluriflora, from profusely fruiting selection.....	1.00		
BETULA alba (odorata or pubescens).....		.70	2.00
alba pendula.....		.45	1.25
alba pendula, clean.....	.40	1.10	3.00
japonica.....		1.10	3.00
lenta.....	.40	1.10	3.00
lutea.....	.40	1.10	3.00
maximowicziana.....	.45	1.25	3.50
papyrifera.....		1.10	3.00
papyrifera, clean.....	.80	2.25	6.00
papyrifera minor.....	.80	2.25	
populifolia.....		1.10	3.00
BIGNONIA grandiflora.....	.50	1.45	4.00
radicans.....		1.10	3.00
BROUSSONETIA papyrifera.....	.65	1.75	5.00
BUDDLEIA davidi (variabilis).....	.50	1.35	3.75
davidi, from new garden forms.....	.50 ¼ oz.		
japonica.....	.75 ¼ oz.		
BUXUS sempervirens.....	.35	.80	2.25
CALLICARPA americana.....		1.00	2.75
CALLUNA vulgaris, clean.....	.35 ¼ oz.	.75	
CALYCANTHUS floridus.....		.65	1.75
CAMELLIA japonica.....		.65	1.75
japonica, seed from Japan.....	.35	.85	2.25
japonica, from garden specimens.....	.35	.90	2.50
sasanqua.....	.35	.70	2.00

	oz.	¼ lb.	lb.
CARAGANA arborescens.....		.70	2.00
boisi.....	.50 ½ oz.		
sibirica.....	.50 ½ oz.		
tibetica.....	.50 ½ oz.		
CARPENTERIA californica.....	1.40 ¼ oz.	4.00	
CARPINUS betulus, clean.....		.35	1.00
caroliniana, clean.....		.45	1.10 3.00
CASSIA artemisioides.....		1.00	3.75
CASUARINA cunninghamiana, N. E.....		1.00	2.75
equisetifolia.....		1.00	2.85
stricta.....		1.00	
CATALPA bignonioides.....		.35	1.00
ovata.....		.55	1.50
speciosa.....		.65	1.75
CEANOTHUS americanus, clean.....	.80	2.25	6.00
arboreus.....	1.00		
arboreus hybrids.....	1.00		
cyaneus.....	1.25		
megacarpus.....	1.00		
spinosus.....	1.00		
thyrsiflorus.....	.55	1.40	4.00
CEDRUS atlantica.....		.85	2.35
atlantica argentea.....		1.10	2.85
atlantica glauca.....		1.80	3.25
deodara.....		.85	2.25
libani.....		1.20	3.25
CELASTRUS orbiculatus, clean.....		1.00	2.85
scandens, d.b.....		1.10	3.00
CELTIS mississippiensis (laevigata).....		.55	1.50
occidentalis, clean.....		.45	1.25
CEPHALOTAXUS drupacea.....		.55	1.50
fortunei.....		.55	1.50
pedunculata.....		.80	2.25
CERATONIA siliqua.....		.55	1.50
CERCIDIPHYLLUM *japonicum.....	.65	1.75	5.00
CERCIS canadensis.....	.35	.80	2.10
chinensis.....	.65	1.75	5.00
occidentalis.....	.35	.90	2.50
siliquastrum.....		.35	1.00
siliquastrum (alba).....		.45	1.25
CHAMAECYPARIS lawsoniana.....		.55	1.50
lawsoniana, from garden forms.....	.35	.90	2.50
lawsoniana argentea.....	.35	.90	2.50
lawsoniana aurea.....	.35	.90	2.50
lawsoniana pendula glauca.....	.35	1.00	2.75
lawsoniana pyramidalis.....	.35	.90	2.50



	oz.	¼ lb.	lb.
<b>CHAMAECYPARIS</b> (continued)			
lawsoniana Triumph de Boskoop.....	.40	1.10	3.00
*nootkatensis.....	.55	1.50	4.25
obtusa.....	.35	1.00	2.75
obtusa, from named garden forms.....	.55	1.40	4.00
obtusa aurea.....	.60	1.65	4.50
pisifera.....	.50	1.35	3.75
pisifera filifera.....	.55	1.50	4.25
pisifera plumosa.....	.55	1.50	4.50
pisifera plumosa aurea.....	.70	1.85	5.25
<b>CHAMAEROPS</b> humilis.....		.30	.85
<b>CHIONANTHUS</b> virginicus, clean.....		1.00	2.75
<b>CINNAMOMUM</b> camphora.....		.45	1.25
<b>CITRUS</b> trifoliata.....		.35	1.00
<b>CLADRASTIS</b> lutea.....	.40	1.10	3.00
<b>CLEMATIS</b> alpina.....	.75 ¼ oz.	2.00	
montana.....	.75	2.00	
montana rubens.....	.80	2.25	
paniculata, imported.....	.60	1.65	4.50
vitalba.....		.45	1.25
viticella.....		.55	1.50
<b>CLERODENDRON</b> trichotomum.....		.80	2.25
<b>CLETHRA</b> acuminata.....	1.00		
alnifolia, N. E.....		1.10	3.00
tomentosa.....	1.00		
<b>COCCULUS</b> carolinus.....		.55	1.50
<b>COCOS</b> australis, clean.....		.90	2.50
campestris, clean.....		.90	2.50
plumosa.....	250 seeds	1.50, 1,000 seeds	5.00
<b>COLUTEA</b> arborescens.....		.55	1.50
<b>CORDYLINE</b> (Dracaena) indivisa.....	.50	1.35	3.75
<b>CORNUS</b> alba.....		1.25	3.50
alternifolia, N. E., d.b.....		1.00	2.75
amomum, d.b.....		.95	2.50
asperifolia, d.b.....		.70	2.00
canadensis, N. E.....	.50	1.25	3.25
florida, clean.....		.70	2.00
florida, d.b., New England, Zone 4.....		.80	2.25
kousa, clean.....		1.20	3.25
mas, clean.....		.50	1.50
rugosa, d.b.....		1.00	2.75
paniculata, d.b.....		.45	1.25
sanguinea, clean.....		.30	.90
stolonifera, d.b.....		.45	1.25
<b>CORONILLA</b> emerus.....	.55	1.50	
<b>CORYLOPSIS</b> sinensis.....	.45 ¼ oz.	1.25	
<b>CORYLUS</b> americana.....		.45	1.20
avellana.....		.25	.75

	oz.	¼ lb.	lb.
COTONEASTER acutifolia, clean	.85		
adpressa, d.b.	.65 ¼ oz.	2.00	
bullata, clean	.50	1.40	4.00
bullata floribunda, d.b.	.70	2.00	
*dielsiana major, d.b.	.70	2.00	
divaricata, clean	.80	2.25	6.00
foveolata, clean	.65	1.90	5.50
francheti, clean	.55	1.50	4.25
francheti cinerascens, d.b.	.75		
horizontalis, clean	.55	1.50	4.25
horizontalis perpusilla, d.b.	.65 ¼ oz.		
lucida, clean	.80	2.25	6.00
microphylla, clean	.55	1.45	4.00
*multiflora, d.b.	.70	2.00	
*multiflora calocarpa	.70	2.00	
nitens, d.b.	.70	2.00	
pannosa, clean	.55	1.50	4.25
prostrata lanata	.65	1.75	
rosea	.50 ¼ oz.		
salicifolia, clean	.60	1.65	4.50
simonsi, clean	.55	1.50	4.25
CRATAEGUS arnoldiana, clean		1.10	3.00
coccinea, clean		.85	2.25
cordata (phaenopyrum), clean	.45	1.25	3.50
crus-galli, clean		.90	2.50
mollis, clean		.90	2.50
nitida, clean		1.65	4.50
oxyacantha, clean		.45	1.25
oxyacantha monogyna, clean		.35	.95
pinnatifida, clean		1.25	3.50
prunifolia, clean		1.25	3.50
punctata, clean		1.25	3.50
tomentosa, clean		1.40	4.00
CRYPTOMERIA japonica, European seed		.80	2.00
japonica, Oriental seed	.35	.90	2.50
japonica elegans	.40	1.10	3.00
japonica lobbi	.45	1.20	3.25
CUNNINGHAMIA lanceolata	.65	1.75	5.00
CUPRESSUS arizonica (glabra or bonita) domestic seed from specimen trees	.55	1.50	4.25
arizonica, imported seed	.45	1.20	3.25
*forbesi	1.25	3.50	
funeris	.40	1.10	3.00
goeniana	.35	.80	2.25
lusitanica glauca	.35	.65	1.75
lusitanica benthami	.35	.90	2.50
macnabiana	.65	1.75	5.00
macrocarpa	.45	1.10	3.00
macrocarpa, golden forms	.50	1.25	3.50
macrocarpa, from garden specimens	.45	1.25	3.50
sempervirens horizontalis		.35	.85



	oz.	¼ lb.	lb.
<b>CUPRESSUS</b> (continued)			
<i>sempervirens stricta</i> .....		.35	.90
<i>torulosa</i> .....	.35	.80	2.25
<i>torulosa majestica</i> .....	.35	.90	2.50
<b>CYDONIA japonica</b> .....	.50	1.35	3.25
<i>japonica pygmaea</i> .....	.45	1.10	3.00
<b>CYTISUS</b> * <i>austriacus</i> .....	.55 ¼ oz.	1.50	
<i>multiflorus</i> .....	.45 ¼ oz.	1.00	
* <i>multiflorus</i> , White Gem.....	.50 ⅛ oz.		
<i>nigricans</i> .....	.60	1.65	4.50
<i>praecox alba</i> , N. E.....	.50 ⅛ oz.		
<i>purpureus</i> .....	.45 ¼ oz.	1.25	
<i>ratibonensis</i> , N. E.....	.45 ⅛ oz.		
<i>scoparius</i> .....	.35	.55	1.50
<i>scoparius</i> , New England seed.....	.75		
<i>scoparius</i> , new vari-colored hybrids.....	.75 ¼ oz.	2.00	
* <i>supinus</i> , N. E.....	1.00	3.00	
<b>DAPHNE laureola</b> .....	.65	1.75	5.00
<i>mezereum</i> , d.b.....	.45	1.20	3.25
<i>mezereum</i> , clean.....	.55	1.50	4.25
<i>mezereum rubrum</i> .....	.75	2.15	6.00
<b>DEUTZIA scabra</b> ( <i>crenata</i> ).....	.35	1.00	
<b>DIOSPYROS kaki</b> .....		.50	1.35
<i>lotus</i> .....		.45	1.25
<i>virginiana</i> .....		.35	1.00
<i>virginiana</i> , northern.....		.45	1.25
<i>virginiana</i> , from trees in cultivation.....		.60	1.60
<b>DISANTHUS cercidifolius</b> .....	.60	1.65	4.50
<b>DRACAENA draco</b> , clean.....	.55	1.50	4.25
<b>ELEAGNUS angustifolia</b> , clean.....		.35	1.00
<i>angustifolia</i> , d.b.....			.60
<i>argentea</i> .....		.70	2.00
* <i>longipes</i> ( <i>multiflora</i> ).....	.50	1.25	3.50
* <i>umbellata</i> .....	.50	1.25	3.50
<b>ENKIANTHUS campanulatus</b> , N.E.....	.90 ¼ oz.	2.50	
<i>campanulatus</i> , imported.....	1.10	3.00	
<b>ERICA arborea</b> , clean.....		.65	
<i>carnea</i> , clean.....	.95 ¼ oz.	2.50	
<b>ERIOBOTRYA japonica</b> .....		.70	2.00
<b>ERYTHEA</b> ( <i>Brahea</i> ) <i>armata</i> , clean.....		1.20	3.25
<i>edulis</i> , clean.....		1.00	2.70
<b>ERYTHRINA crista-galli</b> .....	.55	1.40	4.00
<b>EUCALYPTUS botryoides</b> .....	.85	2.50	7.00
<i>calophylla</i> .....	.40 ¼ oz.	1.00	
<i>citriodora</i> .....	.40 ¼ oz.		
<i>corynocalyx</i> ( <i>cladocalyx</i> ).....	.70 ¼ oz.	2.00	
<i>eugenoides</i> .....	.45 ¼ oz.	1.25	

	oz.	¼ lb.	lb.
<b>EUCALYPTUS</b> (continued)			
fastigiata.....	.40 ¼ oz.	1.00	
ficifolia.....	100 seeds .75, 1,000 seeds 6.00		
globulus, clean.....	.70	2.00	5.50
gunnii.....	.85	2.50	7.00
leucoxylon.....	.40 ¼ oz.	1.20	3.60 10.00
leucoxylon rosea.....	.55 ¼ oz.	1.50	
macarthuri.....	.40 ¼ oz.	1.00	
maideni.....	.55 ¼ oz.	1.50	
pilularis.....	.40 ¼ oz.	1.00	
polyanthemos.....	.55 ¼ oz.	1.50	
resinifera, clean.....	1.00	2.75	
robusta (multiflora).....	.45 ¼ oz.	1.25	
rostrata (camaldulensis).....	.85	2.40	6.50
rudis.....	.40 ¼ oz.	1.00	
saligna.....	.85	2.50	7.00
sideroxylon rosea.....	.45 ¼ oz.	1.25	
tereticornis (umbellata).....	.45 ¼ oz.	1.25	
viminalis.....	.85	2.50	7.00
<b>EUONYMUS</b> alatus, clean.....			
americanus.....	.45	1.25	3.50
atropurpureus.....		1.10	3.00
europaeus.....		.75	2.10
europaeus intermedia (fructu coccineo) with bright red fruit).....		.45	1.25
japonicus.....	.70	1.80	
*planipes (sachalinensis).....	.45	1.25	
EXOCHORDA grandiflora.....	.75		
EXOCHORDA grandiflora.....	.40	1.10	3.00
FAGUS grandifolia (fall only).....			2.00
sylvatica.....		.35	1.00
sylvatica atropurpurea.....		.70	2.00
FATSIA japonica (Aralia sieboldi).....	1,000 seeds 2.00		
FEIJOA sellowiana.....	1,000 seeds 2.00		
FIRMIANA simplex.....		.70	2.00
FRAXINUS americana.....		.35	1.00
excelsior.....		.25	.70
lanceolata.....		.35	1.10
ornus.....		.35	1.00
GARDENIA florida (jasminoides).....	.65	1.75	5.00
GENISTA aetnensis.....	.60		
canariensis.....	.75		
fragrans.....	1.00		
germanica.....	.75		
monosperma.....	.55	1.55	
pilosa.....	.75		
radiata.....	.75		
tinctoria.....	.60		
GINKGO biloba.....		.30	.80
biloba, New England seed.....		.65	1.75



	oz.	¼ lb.	lb.
<b>GLEDITSIA sinensis</b> .....		.90	2.50
<b>triacanthos</b> .....		.35	.90
<b>triacanthos inermis</b> .....		.35	1.00
<b>GREVILLEA robusta</b> .....	.90	2.50	7.00
<b>GYMNOCLADUS dioicus</b> .....		.25	.60
<b>HALESIA monticola</b> .....		.90	2.50
<b>tetraptera</b> .....		.55	1.50
<b>HAMAMELIS japonica</b> .....	.60	1.65	4.50
<b>HIBISCUS *paramutabilis</b> .....	.50 ¼ oz.		
<b>*sino-syriacus</b> .....	.50 ¼ oz.	1.50	
<b>syriacus</b> .....		.45	1.20
<b>syriacus, white flowered</b> .....		.55	1.50
<b>HICORIA</b>			
<b>glabra</b> .....			.35
<b>laciniosa</b> .....			.35
<b>ovata</b> .....			.35
<b>pecan, Northern Naturals</b> .....			.75
<b>pecan, large fruited Papershells</b> .....			.95
<b>HIPPOPHAE rhamnoides</b> .....		.55	1.50
<b>IDESIA polycarpa</b> .....	.45	1.25	3.50
<b>ILEX aquifolium, clean</b> .....		.55	1.50
<b>aquifolium, from garden varieties</b> .....		.90	2.50
<b>crenata, clean</b> .....		.90	2.50
<b>glabra, d.b.</b> .....		.55	1.50
<b>opaca, clean</b> .....	.55	1.50	4.25
<b>opaca, from its northern range, clean</b> .....	.65	1.75	5.00
<b>verticillata, clean</b> .....	.60	1.65	4.50
<b>INDIGOFERA dosua</b> .....	1.25		
<b>JUBAEA spectabilis</b> .....	100 seeds .75, 500 seeds 3.00		
<b>JUGLANS californica</b> .....			.50
<b>californica hindsii</b> .....			.60
<b>cinerea, N. E.</b> .....			.30
<b>nigra, from wild trees</b> .....			.35
<b>nigra, from named orchard varieties; choice of Ohio-Stabler-Ten Eyck-Thomas or mixed</b> .....			.50
<b>sieboldiana</b> .....	.35	.90	
<b>sieboldiana cordiformis</b> .....	.35	1.00	
<b>JUNIPERUS chinensis, clean</b> .....	.50	1.40	4.00
<b>communis depressa, N. E., d.b.</b> .....		.80	2.25
<b>communis depressa, clean</b> .....	.60	1.65	4.50
<b>communis, upright columnar type, clean</b> .....	.35	.70	2.00
<b>communis montana (siberica), clean</b> .....	.60	1.65	4.50
<b>japonica, clean</b> .....	.60	1.65	4.50
<b>monosperma, d.b.</b> .....		.80	2.25
<b>*pachyphloea, clean</b> .....	.85	2.40	6.50
<b>rigida, clean</b> .....	.60	1.65	4.50
<b>scopulorum, clean</b> .....	.60	1.65	4.50
<b>scopulorum, dainty leaved Southern form, cleaned and floated</b> .....	.75	2.15	6.00

	oz.	¼ lb.	lb.
<b>JUNIPERUS</b> (continued)			
<i>virginiana</i> , Southern, clean.....	.45	1.20	3.25
<i>virginiana</i> , Platte River, d.b.....		.80	2.25
<i>virginiana</i> , Platte River, cleaned and floated, 90% sound seed.....	.70	2.25	6.00
<i>virginiana</i> , Wisconsin, cleaned and floated.....	.60	1.70	4.75
<i>virginiana glauca</i> , clean.....	.70	2.25	6.00
<b>KALMIA latifolia</b> .....	.55 ¼ oz.	1.50	
<i>latifolia</i> , New England.....	1.00 ¼ oz.	2.50	
<b>KERRIA japonica</b> .....	.65	1.75	5.00
<b>KETELEERIA fortunei</b> .....		1.10	3.00
<b>KOELREUTERIA paniculata</b> .....		.55	1.50
<b>KOLKWITZIA amabilis</b> , clean, N. E. ....	1.70	4.75	
<b>LABURNUM alpinum</b> .....		.55	1.55
<i>vulgare</i> .....		.45	1.35
<i>watereri</i> ( <i>alpinum</i> x <i>vulgare</i> ).....	.45 ¼ oz.		
<b>LAGERSTROEMIA indica</b> .....	.55	1.65	4.50
<b>LARIX europaea</b> , Central Alps, elev. 3,000 ft.....	.65	1.75	5.00
<i>europaea</i> , Southern Alps, elev. 900-1,200 ft.....	.45	1.25	3.50
<i>leptolepis</i> .....	.70	1.85	5.25
<i>occidentalis</i> .....	1.25	3.60	10.00
<b>LAUROCERASUS</b> ( <i>Prunus</i> ) <i>caroliniana</i> .....		.55	1.50
<i>lusitanica</i> , clean.....		.90	2.50
<i>officinalis</i> .....		.45	1.25
<b>LAURUS nobilis</b> , clean.....		.45	1.25
<b>LESPEDEZA bicolor</b> .....		1.25	3.50
<i>formosa</i> .....		1.10	3.00
<b>LEUCOTHOE catesbaei</b> .....	.45 ¼ oz.	1.00	
<b>LIBOCEDRUS decurrens</b> .....		.65	1.75
<b>LIGUSTRUM amurense</b> , d.b.....		.65	1.75
<i>ibota</i> , d.b.....		.45	1.25
<i>japonicum</i> , clean.....		.70	2.00
<i>lucidum</i> , d.b.....		.65	1.75
<i>sinense</i> ("South" Privet), clean.....		.55	1.50
<i>vulgare</i> , d.b.....		.35	1.00
<b>LIQUIDAMBAR styraciflua</b> .....		1.35	3.75
<b>LIPPIA citriodora</b> .....	2.00		
<b>LIRIODENDRON tulipifera</b> .....		.35	1.00
<b>LIVISTONA chinensis</b> ( <i>Latania borbonica</i> ).....		1.10	3.00
<b>LONICERA alpigena</b> , d.b.....		.90	2.50
<i>caprifolium</i> , d.b.....		.90	2.50
<i>chrysantha</i> , d.b.....	.50 ¼ oz.		
<i>korolkowi zabeli</i> , d.b.....	.50 ¼ oz.		
<i>morrowi</i> , d.b.....	.70	2.00	
<i>ruprechtiana</i> , d.b.....	.70	2.00	



	oz.	¼ lb.	lb.
<b>LONICERA</b> (continued)			
tatarica, clean	.60	1.65	4.50
tatarica alba, d.b.	.75	2.25	
tatarica wheeleri (red), d.b.	1.00		
xylostium, d.b.		.70	2.00
<b>LYCIUM horridum</b>	.50 ¼ oz.	1.50	
<b>MACADAMIA ternifolia</b>		1.25	3.50
<b>MACLURA pomifera</b>		.55	1.50
<b>MAGNOLIA acuminata</b> , clean		1.20	3.25
conspicua (Yulan), d.b.		1.00	2.75
glauc (virginiana), clean		1.25	3.50
grandiflora, clean		1.00	2.75
grandiflora, a northern strain, zone 6	100 seeds 1.00, 1,000 seeds 8.00		
kobus, clean		1.65	4.50
liliflora, d.b.		1.25	3.50
macrophylla, d.b.		1.10	3.00
obovata (hypoleuca), clean		1.40	4.00
sieboldi (parviflora), d.b., choice species with large fragrant white flowers		1.65	4.50
soulangeana, d.b.		1.20	3.25
soulangeana lennei, d.b.		1.25	3.50
<b>MAHONIA aquifolia</b> , clean	.70	2.00	5.50
nervosa, d.b.	.65	1.75	5.00
<b>MALUS baccata</b> , clean seed	1.50	4.35	12.00
baccata, dried pomes		.70	2.00
baccata mandshurica, dried pomes		.70	2.00
coronaria, clean	.80	2.25	6.00
common, Apple for stock—French Cider Crab		.55	1.50
common, Apple for stock—domestic seed		.50	1.35
floribunda, clean	.80	2.25	6.00
ioensis, clean	1.15	3.00	
*sargentii, dried pomes, N. E., Free blooming, dwarf ornamental Crab, true from seed		.90	2.50
sieboldi, clean	.90	2.50	
theifera (hupehensis), dried pomes, handsome small tree, very free blooming, true from seed		.90	2.50
zumi	.90	2.50	
zumi calocarpa, dried pomes		.90	2.50
<b>MELALEUCA leucadendron</b>	.85		
<b>MELIA azedarach</b>		.70	2.00
<b>MENISPERMUM canadense</b>		.70	2.00
<b>MERATIA</b> (Calycanthus) <b>praecox</b>		.70	2.10
<b>MESPILUS germanica</b> , clean		.55	1.50
<b>MIMOSA pudica</b>	.65 ¼ oz.	2.00	
<b>MORUS alba</b> , clean	.35	.90	2.50
alba tatarica, clean	.50	1.40	4.00
nigra, clean	.45	1.25	3.50
<b>MYRICA caroliniensis</b>		.30	2.00

	oz.	¼ lb.	lb.
MYRTUS communis, clean.....	.65	1.75	5.00
communis compacta.....	.60 ¼ oz.	1.50	
NANDINA domestica, home grown, berries.....		.80	2.25
domestica, imported, clean.....	.40	1.10	3.00
domestica, white berried, imported, clean.....	.55	1.65	4.50
NEMOPANTHUS mucronatus, d.b.....		.90	2.50
NERIUM oleander.....		.80	2.25
NYSSA sylvatica, clean.....		.80	2.25
OLEA europaea, from wild plants.....		.70	2.00
europaea, cultivated varieties.....		.35	1.00
OXYDENDRON arboreum, clean.....	.50 ¼ oz.	1.50	
PAEONIA suffruticosa (arborea or moutan), from choice collection of named varieties.....	25 seeds 1.25, 100 seeds 3.50, 1,000 seeds 25.00		
PALIURUS aculeatus (spina-christi), clean.....		.45	1.35
PARKINSONIA aculeata.....	.55	1.40	4.00
PAULOWNIA tomentosa.....	.35	.55	1.50
PHASEOLUS caracalla.....	100 seeds 1.00, 1,000 seeds 6.00		
PHELLODENDRON amurense.....	.55	1.40	4.00
PHILADELPHUS coronarius, clean.....	.45	1.25	3.50
coronarius, garden varieties.....	1.00		
grandiflorus.....	.50	1.40	4.00
PHOENIX canariensis.....		.30	.75
dactylifera.....		.70	2.00
reclinata.....		.70	2.00
roebeleni.....	250 seeds 1.75, 1,000 seeds 5.50		
sylvestris.....		.65	1.75
PHOTINIA glabra.....		1.10	3.00
villosa, clean.....		1.40	4.00
PICEA canadensis, domestic.....	1.75	5.00	14.00
canadensis, from planted stands near sea-level, Northern Europe.....	.50	1.40	4.00
engelmanni.....	.75	2.45	6.75
excelsa (abies), Western Europe.....	.45	1.25	3.50
excelsa (abies), Northern Europe, the vigorous Lowland Strain.....	.60	1.65	4.50
excelsa (abies), South Central Europe.....	.50	1.40	4.00
jezoensis hondoensis.....	.75	2.25	6.00
mariana.....	2.00	5.50	15.00
*omorika.....	1.00 ¼ oz.	3.30	10.00
orientalis.....	.60	1.75	5.00
polita.....	.75	2.25	6.00
pungens glauca.....	1.55	4.35	
sitchensis.....	1.20	3.60	10.00
PIERIS floribunda.....	.50 ¼ oz.	1.50	
floribunda, N. E.....	.85 ¼ oz.	2.50	
japonica.....	.65 ¼ oz.	1.75	
taiwanensis.....	1.10 ¼ oz.	3.00	



	oz.	¼ lb.	lb.
<b>PINUS banksiana</b> .....	.65	1.75	5.00
<i>caribaea</i> .....	.55	1.40	4.00
<i>cembra</i> .....		.50	1.35
<i>contorta</i> .....	.90	2.75	7.50
<i>contorta latifolia</i> ( <i>murrayana</i> ).....	1.00	2.90	8.00
<i>coulteri</i> .....	.65	1.75	5.00
<i>densiflora</i> .....	.35	.80	2.35
<i>echinata</i> .....	1.20	3.30	9.25
<i>edulis</i> ( <i>cembroides edulis</i> ).....	.35	1.00	2.75
<i>excelsa</i> ( <i>griffithi</i> ).....		.55	1.50
<i>flexilis</i> .....	.45	1.25	3.50
<i>halepensis</i> .....		.55	1.50
<i>jeffreyi</i> .....	.50	1.35	3.75
<i>koraensis</i> .....	.35	.85	2.25
<i>lambertiana</i> .....	.35	1.00	2.75
<i>maritima</i> ( <i>pinaster</i> ).....		.35	1.00
<i>massoniana</i> .....	.70	2.00	
<i>monophylla</i> ( <i>cembroides monophylla</i> ).....	.35	.85	2.25
<i>montana</i> ( <i>mugo</i> ), Lowland seed.....	.40	1.10	3.00
<i>montana gallica</i> .....	.80	2.35	6.50
<i>montana mughus</i> , European Alps, dwarf type.....	.55	1.40	4.00
<i>montana uncinata</i> ( <i>rostrata</i> ), European Alps.....	.55	1.40	4.00
<i>montana uncinata</i> , Lowland seed.....	.40	1.10	3.00
<i>montezumae</i> .....	.75	2.25	6.00
<i>monticola</i> .....	.75	2.25	6.00
<i>muricata</i> .....	.75	2.25	6.00
<i>nigra</i> , Hill strain, elev. 900–2,100 ft. from the heart of the Austrian Pine country in Austria.....	.45	1.15	3.25
<i>nigra</i> , Northern Europe, from planted stands near sea level.....	.45	1.25	3.50
<i>nigra</i> , South Central Europe, Apennines Mountains, elev. 2,100–2,700 ft....	.35	.90	2.50
<i>nigra poiretiana</i> , Mainland form from Calabria.....	.35	1.10	3.00
<i>palustris</i> .....		1.00	2.75
<i>parviflora</i> ( <i>pentaphylla</i> ).....	.45	1.20	3.50
<i>pinea</i> .....		.35	.85
<i>ponderosa</i> , Giant Pacific Coast Race—Timber strain.....	.50	1.40	4.00
<i>radiata</i> ( <i>insignis</i> ).....	.65	1.75	5.00
<i>resinosa</i> .....	3.20	9.00	24.00
<i>rigida</i> , N. E.....		.80	2.25
<i>sabiniana</i> .....		.55	1.50
<i>strobis</i> , domestic, Lake States Race.....	.45	1.25	3.35
<i>strobis</i> , from planted stands in Europe.....	.35	.90	2.50
<i>sylvestris</i> , for diversity of requirements a choice of strains is offered:			
Continental origins:			
Straight timber strain, fast growing, long-needed type from the sandy plains of northern Europe, 50,000 seeds per pound.....	.75	2.25	6.00
Seed from selected forests, watershed of Baltic Sea, Southern Scandinavia, a timber strain, 72,000 seeds per pound.....	.80	2.35	6.50
Seed from Western Europe, green strain for ornamental use and Christmas trees, 42,500 seeds per pound.....	.60	1.60	4.50
Seed from Central Alps (2,400–3,000 feet), moderately fast growing, for ornamental use and Christmas trees.....	.60	1.60	4.50

	oz.	¼ lb.	lb.
<b>PINUS</b> (continued)			
Seed from Austrian Forests, hill strain, 1,400 ft., for ornamental and forestry use, green needles, straight stems, small crowns.....	.65	1.75	5.00
Seed of East Baltic strain, Riga Pine ( <i>rigensis</i> ) from its native habitat, the fringe of Pine forests around the eastern extension of the Baltic sea, tall growing, excellent timber strain. 83,000 seeds per pound.....	1.30	3.60	10.00
Insular origins:			
Seed from Government Elite Forest in East Anglia, England, fast growing strain for timber and ornamental use, 41,500 seeds per pound.....	.70	1.85	5.25
Seed from native Scotch Highland stands, Scotland, short-needed, straight stemmed, close to <i>rigensis</i> variety, 55,000 seeds per pound	1.65	4.50	12.00
Domestic origins:			
Seed from <i>Rigensis</i> type trees, New York State.....	1.65	4.50	12.00
Seed of any of the sources indicated will be certified as to origin upon request.			
<i>taeda</i> .....	.70	2.00	5.50
<i>thunbergi</i> .....	.40	1.10	3.00
<i>torreyana</i> .....	1.15	3.25	9.00
<b>PITTOSPORUM crassifolium</b> .....		2.25	6.00
<i>eugenoides</i> .....		2.50	7.00
<i>tobira</i> , clean.....		.70	2.50
<i>undulatum</i> , clean.....		1.25	3.50
<b>PLATANUS occidentalis</b> .....			.85
<i>occidentalis</i> , clean.....		.45	1.35
<i>orientalis</i> , clean.....		.35	1.00
<b>PLUMBAGO capensis</b> .....		1,000 seeds	3.00
<b>POINCIANA gilliesi</b> .....	.50	1.25	3.50
( <i>Delonix</i> ) <i>regia</i> .....	.75		
<b>PRUNUS americana</b> , clean.....	.55	1.50	
<i>amygdalus</i> ( <i>communis</i> ), Sweet Almond.....	.30	.75	
<i>amygdalus</i> ( <i>communis</i> ), Bitter Almond.....	.30	.80	
<i>armeniaca</i> , clean, (Apricot).....		.40	
<i>armeniaca ansu</i> , clean, hardy Japanese Apricot, close to <i>mandshurica</i> with better fruit.....	.45	1.25	
<i>avium</i> , Mazzard, clean.....	.35	1.10	
<i>avium</i> , Mazzard, small seeded mountain form ( <i>sylvestris</i> ), clean.....	.55	1.50	
<i>cerasifera</i> ( <i>Myrobolan</i> ), clean.....	.40	1.10	
<i>demissa melanocarpa</i> , clean.....	.65	1.60	
<i>glandulosa</i> , d.b.....	.40 ¼ oz.	1.00	
<i>ilicifolia</i> , clean.....		.70	2.00
<i>incisa</i> , d.b., domestic (N. E.) seed.....	.40 ¼ oz.	1.00	
<i>incisa</i> , clean, imported.....	.55	1.75	5.00
<i>lannesiana</i> , clean.....		.80	2.25
<i>lyoni</i> ( <i>integrifolia</i> ), clean.....		.70	2.00
<i>mahaleb</i> , clean.....		.35	1.00
<i>maritima</i> , N. E., d.b.....		.35	2.50
<i>maritima</i> , cultural selection, with thin skinned fruit.....	.60		
<i>mume</i> , clean.....		.55	1.50



	oz.	¼ lb.	lb.
<b>PRUNUS</b> (continued)			
padus, N. E., d.b.....	.75		
padus, clean, imported.....		1.10	3.00
pennsylvanica.....		1.00	2.75
persica (Peach), Lovell variety.....			.45
salicina.....		.40	1.25
*sargenti (serrulata sachalinensis), clean.....	.40	1.10	3.00
serotina, clean, Northern seed, N. E.....		.65	1.75
serotina, d.b., N. E.....			.85
serrulata, clean.....		1.00	2.75
spinosa, clean.....		.35	1.00
*subhirtella, clean.....	.35	.95	2.50
subhirtella pendula, clean.....	.45	1.25	3.50
tomentosa, clean.....	.35	.80	2.25
virginiana, d.b.....		.45	1.25
*yedoensis.....	.35	.95	2.50
<b>PSEUDOLARIX kaempferi</b> (amabilis).....	.40	1.10	3.00
<b>PSEUDOTSUGA douglasi</b> , Fraser River type (caesia).....	1.15	3.10	8.50
douglasi glauca, Colorado strain.....	1.25	3.50	
douglasi, Interior Strain, North Idaho, Eastern Washington, a hardy variety, main source for Douglas Fir Christmas trees.....	.95	2.90	8.00
douglasi viridis, Coast form, Oregon.....	1.20	3.30	9.25
<b>PTELEA trifoliata</b> .....		.40	1.25
<b>PUERARIA thunbergiana</b> .....		.70	2.00
<b>PUNICA granatum</b> .....		.80	2.25
<b>PYRACANTHA coccinea</b> , clean.....		.80	2.25
coccinea lalandi, clean.....	.35	1.00	2.75
<b>PYRUS common pear</b> , domestic seed.....		1.10	3.00
common pear, imported seed.....		1.20	3.50
serotina.....	.65	1.85	5.25
<b>RAPHIOLEPIS ovata</b> (japonica).....		1.25	3.50
<b>RHAMNUS cathartica</b> , clean.....		.90	2.50
crenata, N. E., less known than frangula but more meritorious.....	.70	2.00	
frangula, clean.....		1.25	3.50
purshiana, clean.....	.45	1.25	3.50
<b>RHODODENDRON arboreum</b> .....	.45 ¼ oz.	1.00	
auriculatum.....	1.00 1/16 oz., 3.00 ¼ oz.		
cantabile.....	.85 11/32 oz.		
carolinianum, from wild plants.....	.50 ¼ oz.		
carolinianum, N. E.....	.60 1/16 oz., 1.50 ¼ oz.		
carolinianum, blush.....	.50 pkt.		
carolinianum, white.....	.50 pkt.		
catawbiense.....	.65 ¼ oz.	2.25	
catawbiense compactum, N. E.....	1.25 1/16 oz.		
catawbiense hybrids, N. E.....	.90 1/16 oz., 2.50 ¼ oz.	7.50	
catawbiense hybrids, seed from red flowered plants.....	1.00 1/16 oz.		
discolor.....	1.10 1/16 oz., 3.00 ¼ oz.		
fortunei x hardy Hybrids.....	1.00 1/16 oz.		
grande.....	.50 ¼ oz.		

	oz.	¼ lb.	lb.
<b>RHODODENDRON</b> (continued)			
griffithianum var. aucklandi.....	.50 ¼ oz.		
hippophaeoides.....	.50 pkt.		
maximum, from wild plants.....	.45 ¼ oz.	1.25	
maximum, N. E.....	.65 ¼ oz.	1.75	
ponticum, Southern Europe.....		.75	2.25
ponticum, Northern Europe, garden strain.....	.70 ¼ oz.	2.00	
<b>RHODODENDRON</b> , choice new Hybrids by English breeders			
	1.25 1/16 oz., 3.50 ¼ oz.		
<b>RHODOTYPOS kerriodes</b> .....		1.25	3.50
<b>RHUS canadensis</b> (aromatica), clean.....		1.20	3.25
copallina.....		.45	1.25
cotinus, clean.....		.65	1.75
glabra.....		.45	1.25
trilobata, clean.....		.90	2.50
typhina.....		.45	1.25
<b>RIBES aureum</b> , d.b., N. E.....		.75	
<b>ROBINIA hispida fertilis</b> .....	.45 ¼ oz.	1.40	4.00 11.25
pseudoacacia.....		.35	.85
pseudoacacia, Idaho strain.....		.50	1.45
pseudoacacia inermis.....		.35	.90 2.50
<b>ROSA blanda</b> , d.b.....		.45	1.25
blanda, clean.....	.45	1.20	3.50
canina, clean.....		.30	.75
humilis, d.b.....		.80	2.25
lucida (virginiana), clean.....	.55	1.40	4.00
maximowicziana.....	1.00		
multiflora, thornless, clean.....	.45	1.20	3.25
multiflora, thorny, clean.....	.45	1.25	3.50
palustris, d.b.....		.70	2.00
*primula.....	.55 ¼ oz.	1.50	
rubiginosa, clean (eglanteria).....		.80	2.25
rugosa, clean.....		.80	2.25
rugosa, deep red selection, N. E., clean.....	.55	1.50	
rugosa, white, N. E., clean.....	.55	1.65	4.50
setigera, dried hips.....		.55	1.50
setigera, clean.....	.55	1.65	4.50
spinosissima, clean.....	.45	1.25	3.50
wichuraiana, clean.....	.40	1.10	3.00
<b>RUSCUS aculeatus</b> , clean.....		.70	2.00
<b>SABAL blackburnia</b> .....	.500 seeds	2.50, 1,000 seeds	4.75
minor (adamsoni).....	.500 seeds	2.50, 1,000 seeds	4.75
<b>SAMBUCUS canadensis</b> , clean.....		1.20	3.25
coerulea (glauc), from Northern Rockies.....		1.00	2.75
nigra, clean.....		.55	1.50
racemosa, clean.....		1.00	2.75
<b>SAPINDUS drummondi</b> .....		.90	2.50
<b>SASSAFRAS varifolium</b> .....		.55	1.50



	oz.	¼ lb.	lb.
SCHINUS molle.....		.55	1.50
terebinthifolius.....		.90	2.50
SCIADOPITYS verticillata.....	.80	2.25	6.00
SEAFORTHIA elegans.....	250 seeds 1.25, 1,000 seeds 3.50		
SEQUOIA gigantea.....	1.50	4.35	12.00
sempervirens, California seed only.....	.80	2.40	6.50
SHEPHERDIA argentea, d.b.....		1.10	3.00
canadensis, d.b.....		1.75	5.00
SKIMMIA japonica, d.b.....		.80	2.25
SOPHORA japonica.....		.50	1.35
japonica seed from pendula form.....		.55	1.60
vicifolia.....	1.00 ¼ oz.		
SORBUS americana, d.b.....		1.00	2.75
aria, clean.....	.45	1.25	2.50
aucuparis, domestic, dried berries.....		.55	1.50
aucuparia, imported, clean.....	.45	1.35	3.75
commixta, d.b.....	.50		
domestica, clean.....	1.00		
torminalis, clean.....	.55	1.50	
SPARTIUM junceum.....		.35	1.00
STAPHYLEA trifolia.....		.90	2.50
STEWARTIA koreana, N. E.....	.50 pkt.		
monadelpha, N. E.....	.75 ¼ oz.	2.00	
pseudocamellia.....	.50	1.45	4.10
STYRAX americana.....		.55	1.55
japonica.....	.35	.80	2.25
obassia.....	.45	1.20	3.25
SWONTZIA madagascariensis.....	.75 ¼ oz.		
SYMPHORICARPOS racemosus, clean.....	1.00	2.75	
vulgaris, d.b.....		.85	2.25
SYMPLOCOS paniculata, d.b., N. E.....	.50		
SYRINGA henryi (villosa x josikaea), clean.....	1.00		
josikaea, clean.....	.85	2.35	6.25
josikaea rosea, clean.....	1.00		
villosa.....	1.00	2.75	7.50
vulgaris, clean.....	.50	1.35	3.75
vulgaris alba, clean.....	.75	2.20	5.75
vulgaris nana.....	.75		
TAMARIX gallica.....		.55	1.50
TAXODIUM distichum.....		.45	1.15
distichum, clean.....		.90	2.50
TAXUS baccata.....		.55	1.50
baccata erecta, d.b., N. E.....	1.20	3.25	
cuspidata, home grown, d.b.....	.65	1.75	5.00
cuspidata, seed from Japan (the so-called capitata form).....	.45	1.10	3.00
media hicksi, N. E., clean.....	1.40	4.00	11.00

	oz.	¼ lb.	lb.
<b>TETRAPANAX</b> ( <i>Aralia</i> ) <i>papyrifera</i> .....	.65 ¼ oz.	1.75	
<b>THEA</b> <i>sinensis</i> .....		.55	1.50
<b>THUJA</b> <i>occidentalis</i> .....	.85	2.40	6.50
<i>occidentalis aurea</i> .....	.75	2.25	6.00
<i>occidentalis pyramidalis</i> .....	1.25		
<i>occidentalis wareana</i> .....	.70	2.20	5.75
<i>orientalis</i> .....		.55	1.50
<i>orientalis</i> , New England seed.....	.45	1.35	3.75
<i>orientalis aurea</i> .....	.35	.80	2.25
<i>orientalis compacta</i> .....	.35	.80	2.25
<i>orientalis pyramidalis</i> ( <i>tatarica</i> ).....	.35	.80	2.25
<i>plicata</i> .....	.70	2.00	5.50
<i>standishi</i> .....	.65	1.75	5.00
<b>THUJOPSIS</b> <i>dolobrata</i> , Oriental seed only.....	.80	2.25	6.00
<b>TILIA</b> <i>americana</i> .....		.45	1.25
<i>cordata</i> .....		.60	1.65
<i>europaea</i> ( <i>cordata</i> x <i>platyphyllos</i> ).....		.55	1.50
<i>platyphyllos</i> .....		.40	1.15
<i>tomentosa</i> .....		.40	1.10
<b>TRACHYCARPUS</b> <i>excelsus</i> ( <i>fortunei</i> ).....		.35	1.00
<b>TSUGA</b> <i>canadensis</i> , northern crop.....	1.50	4.35	12.00
<i>diversifolia</i> .....	1.20	3.25	9.00
<i>sieboldi</i> .....	1.20	3.25	9.00
<b>UMBELLULARIA</b> <i>californica</i> .....		1.00	2.75
<b>VACCINIUM</b> <i>canadense</i> , d.b.....	.80	2.25	
<i>corymbosum</i> , d.b.....	.80	2.25	
<i>corymbosum</i> , d.b., from large fruited cultivated named varieties.....	.90	2.50	
<i>pennsylvanicum</i> ( <i>augustifolium</i> ), d.b. ....	1.00		
<b>VIBURNUM</b> <i>acerifolium</i> , clean.....	.65	1.75	5.00
<i>alnifolium</i> , clean.....	.65	1.75	5.00
<i>americanum</i> ( <i>trilobum</i> ), clean.....	.90	2.50	7.00
<i>carlesi</i> hybrids, forms intermediate between <i>carlesi</i> and <i>bitchuiense</i>	.45 ¼ oz.	1.25	
<i>cassinoides</i> , d.b.....		.90	2.50
<i>dentatum</i> , d.b.....		.55	1.50
<i>dentatum</i> , clean.....		1.20	3.25
<i>*dilatatum</i> , clean.....		1.20	3.25
<i>lantana</i> , clean, home grown.....		1.10	3.00
<i>lantana</i> , clean, imported.....		.65	1.75
<i>lentago</i> , clean.....	.50	1.35	3.75
<i>odoratissimum</i> , clean.....	.50	1.35	3.75
<i>opulus</i> , clean.....		.90	2.50
<i>prunifolium</i> , clean.....	.50	1.35	3.75
<i>sieboldi</i> , clean.....	.50	1.40	4.00
<i>tinus</i> , d.b.....		.40	1.10
<i>wrightii</i> , clean.....	.90	2.50	7.00
<b>VITEX</b> <i>agnus castus</i> .....		.55	1.50
<i>negundo</i> .....		.80	2.25



	oz.	¼ lb.	lb.
WASHINGTONIA filifera.....		.55	1.50
robusta.....		.70	2.50
WEIGELA garden varieties.....	1.00		
WISTERIA frutescens.....		.80	2.25
multijuga, blue.....	.45	1.10	3.00
multijuga, white.....	.55	1.50	4.25
sinensis, blue.....		.80	2.25
sinensis, white.....		1.00	2.75
ZIZYPHUS jujuba, clean.....		.75	2.10

## MISCELLANEOUS ITEMS

ACONITUM napellus.....	.35 ¼ oz.	1.00	
CLEMATIS recta.....	.75		
CONVALLARIA majalis.....	.35 ¼ oz.	1.00	
CYCLAMEN europaeum.....	.80 ⅙ oz.		
neapolitanum.....	.80 ⅙ oz.		
DICENTRA eximia.....	.60 ¼ oz.	2.00	
DICTAMNUS fraxinella rosea.....	.80	2.50	
FUNKIA coerulea.....	.50	1.35	
HELLEBORUS niger.....	.85	2.35	
LAVENDULA vera.....	1.35	3.75	
LESPEDZA capitata.....	2.00	5.50	15.00
hirta.....	2.00	5.50	
LUPINUS perennis.....	.45	1.25	3.50
polyphyllus, all colors.....	.35	.80	2.25
Russells Hybrids.....	.45	1.20	3.25
PAEONIA officinalis.....	.45	1.25	
peregrina.....	.45	1.25	
ROMNEYA coulteri.....	.90 ¼ oz.	2.50	
THERMOPSIS caroliniana.....	1.00		
THYMUS serpyllum.....	.80 ¼ oz.	2.25	
vulgaris.....	.80 ¼ oz.	2.25	
TROLLIUS europaeus.....	.55 ¼ oz.	1.50	
YUCCA filamentosa.....	.50	1.40	4.00
glauca.....	.75		
gloriosa.....	.75		

---

# BOOKS

---

## **AZALEAS, KINDS and CULTURE**

By H. HAROLD HUME

Tells everything you wish to know about selection, propagation, soil and soil preparation, planting, cultivation and care of these beautiful shrubs. Book is lavishly illustrated with 68 prints and eight color plates. 199 pages . . . . . **\$4.00**

Books by Alfred C. Hottes, General information, propagation included, about Trees, Shrubs and Perennials:

**THE BOOK of TREES**—448 pages—200 illustrations . . . **\$4.00**

**BOOK of SHRUBS**—448 pages—191 illustrations . . . **\$4.00**

**BOOK of PERENNIALS**—280 pages—103 illustrations . . . **\$2.75**

## **CULTIVATED CONIFERS IN NORTH AMERICA**

By DR. L. H. BAILEY

404 pages, 48 full page photos, 114 line drawings. Approximately 1000 conifers (species and varieties together) propagation, care, diseases, protection . . . . . **\$10.00**

## **FLORIST CROP PRODUCTION AND MARKETING**

By KENNETH POST, PH.D.

The application of scientific facts to the production and marketing of florist cut-flowers, potted plants and bulbs grown in the greenhouse or in the field. 906 pages, profusely illustrated . . . . . **\$10.00**

## **HANDBOOK of the TREES of the NORTHERN STATES and CANADA**

By ROMEYN B. HOUGH

417 pages, 498 photographs showing trunk, leaves, twigs and fruits of each tree . . . . . **\$5.50**

**Book prices are postpaid in U.S.A. Terms net cash with order.**

SEND ORDERS TO

**F. W. SCHUMACHER**

**579 Centre St.**

**Jamaica Plain 30, Mass.**

**P. O. Box 131**

---



---

# BOOKS

---

**MANUAL of CULTIVATED TREES and SHRUBS** By ALFRED REHDER

The best reference book available, covering in detail every hardy tree and shrub in cultivation. 996 pages . . . . . **\$10.50**

**PROPAGATION OF PLANTS** By M. G. KAINS and L. M. McQUESTEN

A complete guide for Professional and Amateur Growers of Plants by Seeds, Layers, Grafting and Budding with Chapters on Nursery and Greenhouse Management. 650 pages, illustrated . . . . . **\$7.00**

**PROPAGATION OF TREES, SHRUBS AND CONIFERS**

By WILFRID G. SHEAT

A comprehensive treatment in encyclopedic form of practical plant propagation. Common subjects as well as less known species and varieties of ornamental value are covered. 479 pages—illustrated . . . . . **\$4.50**

**SEEDING and PLANTING IN THE PRACTICE OF FORESTRY**

By I. W. TOUMEN and C. F. KORSTEIM

507 pages, 2nd edition. The best book on the subject . . . . . **\$6.65**

**STANDARDIZED PLANT NAMES**

New second edition. Reference book to 90,000 Common and Scientific names . . . . . **\$10.50**

**"WOODY-PLANT SEED MANUAL"**—with many illustrations and tables

The best new publication in a generation for those who are concerned with the intricate subject of knowledge and treatment of seeds of woody plants comes from the U. S. Department of Agriculture.

Prepared by the Forest Service—Miscellaneous Publication No. 654, for sale at \$2.25 by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Please do not order from us.

**Book prices are postpaid in U.S.A. Terms net cash with order.**

SEND ORDERS TO

**F. W. SCHUMACHER**

579 Centre St.

Jamaica Plain 30, Mass.

P. O. Box 131

---

